




Designed to Perform with Remarkable Speed and Precision



A truly remarkable compact A3 scanner from Canon, the DR-6030C, enables high-performance duplex scans of various document types at impeccable speeds in full-color for users who demand the best quality and impressive versatility.

Business Can be simple

Find out more at www.canon-asia.com

SCAN EASILY, QUICKLY, AND EFFICIENTLY WITH AN EXCEPTIONAL A3 COLOR DOCUMENT SCANNER

Built to ensure speedy departmental digitization of various type and sized documents, the DR-6030C is the compact A3 document scanner, versatile and easy-to-operate, for keeping up with a fast-paced economy. With its innovative technology and impeccable design – incorporating Canon's renowned high-precision roller system – the DR-6030C is incredibly efficient and capable of smoothly handling documents even up to 118.1 inches in length with its advanced Long Document mode, all the while minimizing productivity delays caused by misfeeds and inappropriate scans.

High Speed & High Image Quality

Super-fast scanning

The DR-6030C employs an advanced 3-line CMOS CIS sensor to achieve ultra-fast color scanning at 60 pages per minute. Double-sided documents can be scanned just as quickly at 120 images per minute. And with the

Hardware JPEG Transfer option, image data can be compressed when being transferred from the scanner to your PC for reduced transfer time for even higher output potential.



Fast, one-pass color scanning at the same speed as in B&W. (A4/LTR, 200 dpi)

Superb image clarity and color

The versatile DR-6030C doesn't compromise on image quality with an output resolution up to 600 dpi for clear, high-quality scanning in black and white (binary), 256-level grayscale, or 24-bit color. Canon's 3-Dimensional Color Correction function faithfully reproduces a document's color information using a built-in conversion circuit to pinpoint the exact RGB color coordinates. The result is unprecedented color reproduction and accuracy. And greater accuracy means better readability for both people and OCR scanning applications.

Reliable Paper Handling

The DR-6030C features Canon's renowned high-precision roller system to deliver smooth, jam-free feeding of a wide variety of document weights and sizes from business card size up to 118.1 inches (3,000 mm) in Long Document mode.



Straight Path feeding

Scan thick documents, business cards, and even plastic cards with Straight Path feeding, which allows documents to be scanned and ejected in a straight path to the back of the scanner.



Scan plastic cards with Straight Path

Feed roller

Right


Rolle

Skew Detection

If a large document enters the scanner at an angle, Skew Detection temporarily stops feeding to prevent the document from tearing or jamming.

Ultrasonic Double Feed Detection

The scanner features ultrasonic sensors that can detect the gap of air between overlapping pages to prevent multiple documents from being fed through at the same time. This feature prevents lost images and ensures that every page of even large batches of documents is scanned.



Ultrasonio

Rapid Recovery System

If scanning is interrupted due to a misfeed, the Rapid Recovery System allows you to reposition your document on the feed tray and seamlessly continue scanning right where it left off. Because incomplete image data is not transferred to your PC, you won't ever have to delete incomplete data manually or rescan an entire batch of documents.




Convenient Functions

Efficient scanning of a variety of documents

The DR-6030C is well-equipped for use in a wide range of business applications with convenient, customizable functions to fit your specific needs. You can make independent settings for brightness, contrast, Color Dropout, and gamma for each side of a double-sided document. And for quick access to your frequently used settings, you can register up to 100 sets of scanning preferences.

Custom Color Dropout for improved OCR



the scanned image

For more accurate OCR results, the DR-6030C has a Color Dropout feature that allows you to remove color elements such as lines and shaded boxes printed on a document from the resulting scanned image. Choose red, green, blue, or you can select a specific color range to remove from the image.





Text Enhancement modes for clear, legible data

The scanner offers three Text Enhancement modes to automatically optimize the readability of documents that contain hard-to-scan elements such as faint text, dark backgrounds, or pencil writing. Choose Advanced Text Enhancement I, Advanced Text Enhancement II, or High Speed Text Enhancement to match your document type for scans that are highly readable.

Scan unsorted batches with ease

Perfect for unattended scanning, the DR-6030C can automatically straighten skewed documents and even automatically rotate upside down or sideways image, so you don't have to spend time making sure each document is fed perfectly into the scanner. And with efficiency-boosting features like Skip Blank Page and Auto Page Size Detection, you can quickly and reliably scan batches of mixed document types.

•

•

Clean binder holes on scanned image

Punch Hole Removal detects and removes the black dots left on an image after scanning a document with binder holes punched in it. This function whites out these black dots for a more readable, cleaner-looking image.



Bundled Software

Capture Perfect

The CapturePerfect scanning application gives you a wide array of file-saving formats that make it easy to turn virtually any document into a high-quality digital image. CapturePerfect's file distribution options help boost your document management productivity. Features include: OCR functionality, PDF Encryption, file editing, Scan to Mail, Scan to Presentation, automatic file name generation, MultiStream, and other productive features.



User-friendly interface

Kofax VirtualReScan Basic

Leading image processing software, Kofax VRS Basic, improves readability of multiple-size documents with varying degrees of quality. Automatically straighten

skewed pages without character degradation, optimize a document's brightness/contrast levels, and eliminate background noise and speckling.



ADOBE ACROBAT°

The industry's leading PDF file creation software for making PDF files. Features robust tools including document sharing and security, file commenting, and much more.

DR-6030C Specifications

Туре		Desktop sheet-fed scanner
Document feeding		Automatic or manual sheet feeding
Document size		Width: 53 - 300 mm (2 - 11.8 in.)
		Length: 70 - 432 mm (2.75 - 17.01 in.); Long Document Mode: up to 3,000 mm (118.1 in.)
Document thickness	U-Turn path	Automatic feeding: 0.06 - 0.15 mm, 52 - 128 g/m ² (14 - 32 lb bond)
and weight		Manual feeding: 0.05 - 0.2 mm, 42 - 157 g/m ² (11 - 40 lb bond)
	Straight path	Automatic feeding: 0.06 - 0.15 mm, 52 - 128 g/m ² (14 - 32 lb bond)
		Manual feeding: 0.05 - 0.66 mm, 42 - 546 g/m ² (11 - 144 lb bond)
Business card size and thickness		Size: 53.9 x 85.5 mm (2.12 x 3.37 in.)
		Thickness: 0.76 ± 0.08 mm (0.03 ± 0.003 in.)
Feeding capacity		10 mm stack or 100 sheets of 80 g/m ² (20 lb bond)
Scanning element		3-line CMOS CIS
Light source		LED (red, green, and blue)
Scanning side		Simplex / Duplex
Scanning modes		Black and White, Error Diffusion, High-Speed Text Enhancement, Advanced Text Enhancement,
		Advanced Text Enhancement II, 256-level Grayscale, 24-bit Color, Auto Color Detection
Scanning resolutions		100 x 100 dpi, 150 x 150 dpi, 200 x 200 dpi, 240 x 240 dpi, 300 x 300 dpi, 400 x 400 dpi, 600 x 600 dpi
Scanning speed	B&W	200 dpi: 60 ppm (Simplex), 120 ipm (Duplex); 300 dpi: 60 ppm (Simplex), 120 ipm (Duplex)
(A4/LTR, Portrait)	Grayscale	200 dpi: 60 ppm (Simplex), 120 ipm (Duplex); 300 dpi: 60 ppm (Simplex), 120 ipm (Duplex)
	Color	200 dpi: 60 ppm (Simplex), 120 ipm (Duplex); 300 dpi: 60 ppm (Simplex), 84 ipm (Duplex)
Interface		SCSI-III / Hi-Speed USB 2.0
Scanner driver		ISIS/TWAIN
Useful functions		Ultrasonic Double Feed Detection, Continuous Mode, Moire Reduction,
		Prevent Bleed Through/Remove Background, Punch Hole Removal, Color Dropout, Auto Page Size Detection
		Text Orientation Recognition, Skip Blank Page, Deskew, MultiStream™, Prescan, User Preferences,
		Skew Detection, Gamma Correction, Remove Border, Isolated Point Removal, Edge emphasis, Add-on
Power requirements		AC 220-240 V (50/60 Hz)
Power consumption		46.5W(Scanning), 3.7W(Sleep Mode)
Operating environment		10 - 32.5°C (50 - 90.5°F), Humidity: 20 - 80% RH
Dimensions (W x D x H)		Feed trays closed: 398.4 x 312 x 191.4 mm (15.6 x 12.3 x 7.5 in.)
Weight		Approx. 10.5 kg (23 lb.)
Options/Consumables	3	Barcode Module, Exchange Roller Kit
nonifications are subject	t to obon as witho	

Specifications are subject to change without prior notice.

Canon's Sales and Subsidiaries

ASIA PACIFIC

Canon Singapore Pte Ltd 1 Harbourfront Avenue #04-01 Keppel Bay Tower Singapore 098632 Tel: (65) 6799 8888 Fax: (65) 6799 8882 www.canon-asia.com

BANGLADESH Flora Limited

Adamjee Court Annex-2, 4th Fl. 119-120. Motilheel Commercial Area Dhaka-1000, Bangladesh Tel: (880) 2 7162742 46 Ext-225 Fax: (880) 2 9550030 www.floralimited.com

J.A.N. Associates Ltd 13/1, Fatema Arcade (2nd Floor) Road 5, Dhanmondi Dhaka-1205, Bangladesh Tel: (880) 2 8611444 / 9660601 / 9664101 / 8124941 Fax: (880) 2 8610410 jan@bangla.net jan-mkt@global-bd.net

BRUNEI

Interhouse Company P.O. Box 423, Seri Complex BA1779, Bandar Seri Begawan BF1320 No. 5-7, Bunut Jaya Complex Spg. 574, Km 7 1/4, Jalan Tutong Negara Brunei Darussalam Tel: (673) 2 653001 Fax: (673) 2 653003 www.ihc.com.bn

CAMBODIA

Royal Cambodia Co Ltd #437 Preah Monivong Blvd Phnom Penh Kingdom of Cambodia Tel: (855) 23 428 955 Fax: (855) 23 722 961 www.royalgroup.com.kh rcccanon@royalgroup.com.kh

HONG KONG

Canon Hongkong Co., Ltd. 19/F., The Metropolis Tower, 10 Metropolis Drive, Hunghom, Kowloon, Hong Kong Tel: (852) 3191 2388 Fax: (852) 2369 3800 www.canon.com.hk

INDIA

Canon India Pvt Ltd. 2nd Floor, Tower A & B Cyber Greens, DLF Phrase III Guragon – 122002 Haryana, India Tel: (91) 124 416 0000 Fax: (91) 124 416 0011 www.canon.co.in

INDONESIA

P. T. Datascrip Kawasan Niaga Selatan Blok B-15 Bandar Kemayoran Jakarta 10610 Indonesia Tel: (62) 21 6544515 Fax: (62) 21 6544811 to 13 www.datascrip.com

MALAYSIA

Canon Marketing (Malaysia) Sdn Bhd Block D, Peremba Square, Saujana Resort Section U2, 40150 Shah Alam. Selangor Darul Ehsan, Malaysia Tel: (60) 3 7844 6000 / 7845 0055 Fax: (60) 3 7844 6196 / 6198 www.canon.com.mv

PAKISTAN

PHILIPPINES

Tel: (632) 884 9000

Fax: (632) 894 4174

www.canon.com.ph

Sri Lanka Tel: (94) 1 2437797

Fax: (94) 1 2448980

www.metropolitan.lk

Bangkok City Tower South Sathorn Road

Tel: (66) 2 344 9999

www.canon.co.th info@canon.in.th

Fax: (66) 2 344 9960

Thungmahamek, Sathorn, Bangkok 10120

SRI LANKA

THAILAND

City

Shirazi Trading Co (Pvt) Ltd 8th Floor, Adamjee House, I.I. Chundrigar Road,

www.shirazitrading.com.pk

Karachi, Pakistan Tel: (92) 21 32417659 / 32417737

Fax: (92) 21 32417747 / 32420417 / 32420418

Canon Marketing (Philippines), Inc.

Ground Floor Commerce and Industry Plaza., Campus Ave. cor. Park Ave.,

McKinley Hill, Fort Bonifacio, Taguig

Metropolitan Computers (Pvt.) Ltd 85 Braybrooke, Place Colombo 2,

Canon Marketing (Thailand) Co. Ltd 9th-10th Fl., 179/34-45

MALDIVES

SIMDI Office Automation / SIMDI Company Pvt Ltd G.Faith, Majeedhee Magu, 20-139, Male', Maldives Tel: (960) 333 4421 Fax: (960) 333 4424 www.simdi.com ramieze@simdi.com

MYANMAR

Myanmar Golden Rock International Co., Ltd FJV Commercial Centre Level 6, No. 422-426 Strand Road Botataung Township Yangon, Myanmar Tel: (95) 1 202092 to 96 Fax: (95) 1 202079 sales@mgr.com.mm

NEPAL International Electronics Concern Pvt Ltd Kha 14 1st Floor Haratibhawan Putalisadak Ramshah Path, Kathmandu, P.O. Box 12588 Tel: (977) 1 4421911 Fax: (977) 1 4421909

Easy maintenance

Users can easily replace the scanner's rollers themselves using the Exchange Roller Kit, and if ever scratched, image sensor glass can be replaced by a qualified service technician with Sensor Glass Exchange (both sold separately).



ENERGY STAR and the ENERGY STAR mark are registered U.S. trademarks.

Adobe, the Adobe logo, Acrobat and the Adobe PDF logo are either registered trademarks of Adobe NERGY STAR Systems Incorporated in the United States and/or other countries.

Kofax, the Kofax Logo, and other Kofax Marks are registered trademarks or trademarks of Kofax, Inc. in the United States and other countries, and used under authority from Kofax

Other company names and product names appearing in this brochure are the registered trademarks and/or trademarks of their respective owners.





DEALER'S STAMP

VIETNAM

Canon Singapore Pte Ltd Ho Chi Minh City Representative Office Floor 6, SaiGon Centre Building 65 Le Loi, Ben Nghe Ward, District 1 Ho Chi Minh City, Vietnam Tel: (84) 8 820 0466 Fax: (84) 8 820 0477 www.canon.com.vn cvro_enq@canon.com.sg

Hanoi City Representative Office 15 Nguyen Chi Thanh Hanoi, Vietnam Tet: (84) 4 771 1677 Fax: (84) 4 771 1678 www.canon.com.vn cvro eng@canon.com.sg