

ppm

*only for iR2204N/2004N

Scan*



MORE SPACE TO PRINT YOUR GREATEST IDEAS

iR2204N | iR2004N | iR2004

Printing has never been easier with the new imageRUNNER 2204N/2004N (standard models) and the imageRUNNER 2004 (entry model). Packed with essential features such as A3 printing, Department ID management, network scan, mobile printing, and much more, these multifunctional devices enable you to maximise your productivity while reducing environmental impact with Canon's energy saving technology.

Capable of a wide variety of solutions, the imageRUNNER 2204N/2004N/2004 series gives you everything you need to drive your business efficiency forward.



EFFORTLESS ID CARD COPYING

Now with its own one-touch shortcut key, ID card copying lets you scan both sides of a card or licence onto a single printout effortlessly. This not only saves time but also on operating costs as well.



QUICK WARM-UP TIMES

In a fast-paced business environment, every single moment counts. Canon's On-Demand Fixing technology instantly transfers heat to the device's heating elements for a shorter warm-up time, enabling it to be ready for printing in seconds. Only activated during printing, the technology ensures that the multifunctional device is both energy saving and environmentally friendly.



MANAGE USAGE WITH DEPARTMENT ID

Manage access and track your device usage on the imageRUNNER 2204N/2004N for up to 100 users with Department ID. You can assign selective access privileges, restrict certain functions, as well as track print, copy, and scan usages.



▲ STANDARD MODEL

iR2204N / iR2004N



iR2004

TAKE CONTROL OF YOUR JOB OPERATIONS



CUSTOMISABLE



TOUCH PANE



BACKLIGHT

Managing your job operations has never been easier with the new touch panel screen on the control panel. Customisable, timesaving, and easy to use, the control panel supports up to 10 languages inclusive of Thai, Vietnamese, and Malay. The control panel is even backlit for visibility, making it ideal for operation no matter the lighting conditions.

SEAMLESS WIRELESS CONNECTIVITY

The imageRUNNER 2204N/2004N can wirelessly connect via an access point that is connected to a network. Once the devices are connected to a network, you can simply print from any computer or mobile devices that are connected to the same network, saving you the time from any wireless set ups and configurations.

PRINT AND SCAN ON THE GO

The Canon PRINT Business app lets you access the imageRUNNER 2204N/2004N from your mobile devices, giving you the benefits of printing and scanning within the app. Supporting file formats such as image files, PDF, Microsoft Office, and iWork $^{\text{TM}}$, the app is available on the App Store $^{\text{TM}}$ or Google Play $^{\text{TM}}$.

Canon imageRUNNER 2204N/2004N works with Google Cloud Print $^{\text{TM}}$, so you can print on the go from your smartphone or computer using Google Cloud Print enabled apps.

^{*}iWork and App Store are trademarks of Apple Inc. Google Play and Google Cloud Print are trademarks of Google Inc.








	COPY SPEED	NETWORK PRINT	SCAN	WIFI	DEPT ID	PLATEN COVER	DADF	DUPLEX	MAXIMUM PAPER *
iR2204N	22ррм	~	Push/Pull	~	✓	OPT	OPT	OPT	2 x 250 + 80
iR2004N	20ррм	~	Push/Pull	~	✓	OPT	OPT	OPT	2 x 250 + 80
iR2004	20ррм	×	Push/Pull	×	×	~	×	×	1 x 250 + 80

Based on *80gsm paper sheet



STREAMLINE YOUR WORKFLOW

Facilitate scanning to a computer in various file formats (JPEG, TIFF, PDF) with the MF Toolbox software. With MF Toolbox, you can attach scanned images to email or store them in specific folders. Initial scan settings can also be configured to suit your workflow, reducing the need to re-enter frequently used settings, saving time and effort.

GENERAL SPECII	FICATIONS	iR2004	iR2004N	iR2204N		
Туре		A3 Monochrome Multifunctional Device (Reader/Printer Desktop)				
Copy/	A4	20	ppm	22ppm		
Print Speed	А3	10	11ppm			
Warm-Up Time		13 secs				
Recovery from Sleep Mode		4.3 secs				
First Copy Time		7.4 secs				
Memory		128MB 512MB				
Dimensions (W x D x H)		622 x 589 x 502mm	622 x 605 x 607mm (with ADF)			
Weight		Approx. 28.7kg	Approx. 35.5kg (with ADF)			
Installation Space (W × D)		921 x 589mm	921 x 589mm (when multipurpose tray is extended)			
Power Supply		220 to 240 V AC, 50/60 Hz, 2.4 A	220 to 240 V AC, 50/60 Hz, 2.7 A			
Max. Power Con	sumption	1.5 kWh (2 W during Sleep mode)				
Toner Yield (A4,	6% coverage)	Approx. 10,200 sheets (A4, 6% coverage)				
Drum Yield		Approx. 61,700 sheets				
PRINT SPECIFIC	ATIONS					
Print Resolution		600 x 600dpi				
Page Description Language		UFRII LT (Standard)				
Print OS Compatibility		Windows 10/8.1/8/7/Vista/XP, Windows Server 2003/ Server 2003 R2/Server 2008, Mac OS X 10.6.X or later				
Interface	Network	N/A Ethernet 100Ba		e-Tx/10Base-T		
interrace	Others	USB2.0 x 1				
Network Protocol		N/A	TCP/IP (IPv4/IPv6) Frame type: Ethernet II Print applications: LPD/Raw/WSD			
COPY SPECIFICA	TIONS					
Copy Resolution	1		600 x 600dpi			
Multiple Copies	/Prints	Up to 99 copies				
Magnification		25% - 400%				
SCAN SPECIFICA	TIONS					
Pull Scan & Push Scan (MF Toolbox)		BW/CLR 300 x 300dpi				
Scan Speed (A4, 300dpi)	1 sided	BW: 23 sheets/minute CL: 12 sheets/minute				
Scan OS Compatibility		Windows 10/	0.6.X or later			
Push Scan Method(s)		N/A	Network folder	s (SMB, FTP)		
		USB Memory Media				
Pull Scan/Remo	te Scan	MF Toolbox, application compatible with TWAIN/WIA				
File Format (Sca	n)	PDF/Compact PDF/Searchable PDF/BMP/JPEG/ EXIF/TIFF				

Cassette 1	A3, B4, A4R, A4	, B5R, B5, A5R, India-LGL	FOOLSCAP			
Cassette 2						
Cassette 2	N/A	A3, B4, A4R, A4, A5, B5, B5R				
Multipurpose Tray	A3, B4, A4R, A4, B5, B5R, A5, A5R, India-LGL, FOOLSCAP, Envelope (COM 10, Monarch, ISO-C5, DL)					
Cassette 1	250 sheets (80gsm)					
Multipurpose Tray		80 sheets (80gsm)				
Paper Input Capacity (Option) Cassette 2		250 sheets (80gsm)				
Cassette	Weight: 64 - 90gsm Type: Plain (64 to 90gsm), Recycled (65 to 80gsm), Colour (64 to 80gsm), Pre-punched (75 to 80 gsm)					
Multipurpose Tray	Weight: 64 - 128gsm Type: Plain (64 to 90gsm), Heavy 1 (91 to 105 gsm), Heavy 2 (106 to 128gsm), Recycled (65 to 80gsm), Colour (64 to 80gsm), Pre-punched (75 to 80 gsm), Bond (75 to 90 gsm), Transparency, Label, Envelope					
SORIES						
TIC DOCUMENT	FEEDER - AT1					
	N/A	Automatic Document Feeder				
Size of Originals		A3, B4, A4, A4R, B5, B5R, A5, A5R, FOOLSCAP, Indian LGL				
Paper Weight		When continuously scanning originals: 52 to 105gsm When scanning a single original: 37 to 128gsm				
Max. Number of Originals		50 sheets (80gsm)				
Copying (A4 in B&W at 600dpi)	N/A	1-sided scanning: 20ipm 2-sided scanning: 8ipm	1-sided scanning: 22ipm 2-sided scanning: 8ipm			
Scanning (A4 at 300dpi)	N/A	1-sided scanning: B&W: 23.4ipm Colour: 12ipm 2-sided scanning: B&W: 8ipm Colour: 4ipm				
Dimensions (W x D x H)		565 x 520.5 x 126mm				
Weight		Approx. 7.0kg				
G MODULE - AD	1					
Paper Sizes		A3, B4, A4, A4R, B5, B5R, A5				
Paper Capacity		250 sheets (80gsm)				
Power Source		From main unit				
Dimensions (W × D × H)		579 x 575 x 116mm				
Weight		Approx. 5.75kg				
ACCESSORIES A	AND SUPPLIES					
	Cassette 1 Multipurpose Tray Cassette 2 Cassette Multipurpose Tray SORIES TIC DOCUMENT rriginals Copying (A4 in B&W at 600dpi) Scanning (A4 at 300dpi) D×H) G MODULE - AD D×H)	Cassette 1 Multipurpose Tray Cassette 2 N/A Cassette Type: Plain (6 Colour (64 to Multipurpose Tray) Multipurpose Tray Type: Plain (6 Heavy 2 (106 Colour (64 to Bond (75 to 90 Mond	Multipurpose Tray Cassette 2 N/A Cassette 2 N/A Cassette 2 N/A Cassette 5 Weight: 64 - 90gsm Type: Plain (64 to 90gsm), Recycled (6 Colour (64 to 80gsm), Per-punched (7 Bond (75 to 90 gsm), Transparency, Late (Colour (64 to 80gsm), Per-punched (7 Bond (75 to 90 gsm), Transparency, Late (Colour (64 to 80gsm), Per-punched (7 Bond (75 to 90 gsm), Transparency, Late (Colour (64 to 80gsm), Per-punched (7 Bond (75 to 90 gsm), Transparency, Late (Colour (64 to 80gsm), Per-punched (7 Bond (75 to 90 gsm), Transparency, Late (Colour (64 to 80gsm), Per-punched (7 Bond (75 to 90 gsm), Transparency, Late (Colour (64 to 80gsm), Per-punched (7 Bond (75 to 90 gsm), Transparency, Late (Colour (64 to 80gsm), Per-punched (7 Bond (75 to 90 gsm), Transparency, Late (Colour (64 to 80gsm), Per-punched (7 Bond (75 to 90 gsm), Transparency, Late (Colour (64 to 80gsm), Per-punched (7 Bond (75 to 90 gsm), Transparency, Late (Colour (64 to 80gsm), Per-punched (7 Bond (75 to 90 gsm), Transparency, Late (Colour (64 to 80gsm), Per-punched (7 Bond (75 to 90 gsm), Transparency, Late (Colour (64 to 90gsm), Recycled (6 Colour (64 to 90gsm), Recycled (64 to 90gsm), Recy			

SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS

CANON SINGAPORE PTE. LTD.

1 Fusionopolis Place #15-10 Galaxis Singapore 138522

CANON OFFICES

 MALAYSIA
 THAILAND
 VIETNAM

 Canon Marketing (Malaysia) Sdn Bhdanon Marketing (Thailand) Co. Ltd
 Canon Marketing (Wietnam) Co. Ltd

 Block D, Peremba Square
 No. 98 Sathorn Square Office Tower, Level 10, President Place,

 Saujana Resort Section U2,
 22nd - 24th floor, North Sathorn Road® Nguyen Du, Dist 1,

 Silom, Bangrak, Bangakok 10500
 Ho Chi Minh City, Vietnam

 Tel : 660-37844 6200 / 7844 6200 / 7844 6200 / 7844 6200
 Tel : 66-2-344 9999
 Tel : 84-8-3820 0467

 Fax : 60-37844 6196 / 6198
 www.canon.co.th
 www.canon.com.rv

INDIA
Canon India Private Limited
7th Floor, Tower B, Building #5
DLF Cyber Terraces, DLF Phase-3
Gurgaon - 122002
Haryana, India
Tel : 91-124-416 0000
Fax: 91-124-416 0001

PHILIPPINES PHILIPPINES
Canon Marketing (Philippines), Inc.
Ground Floor Commerce and
Industry Plaza.
Campus Ave. Cor. Park Ave.,
McKinley Hill
Fort Bonifacio, Taguig City
Tel : 632-884-9000
Fax: 632-556-1456
www.canon.com.ph

HONG KONG

HONG KONG Canon Hongkong Co. Ltd 19F, The Metropolis Tower 10 Metropolis Drive Hunghom, Hong Kong Tel: 852-3191-2388 Fax: 852-2369-3800 www.canon.com.hk

TAIWAN Canon Marketing (Taiwan) Co. Ltd 19F, No. 100, Sec.2 Roosevelt Road, Taipei, Taiwan, R.O.C. Tel: +:886-2-6632-8888 Fax: +:886-2-6632-6700 www.canon.com.tw

Fax: 65-6799-8882

www.canon-asia.com www.canon.com.sg







CANON BUSINESS PARTNERS

Tel: 65-6799-8888

AFGHANISTAN BANGLADESH BRUNEI Interhouse Company
No. 233, Street No. 4, Charagh Ali, Adamijee Court Annex-2 (4th Floor) No. 5-7 Bunut Jaya Complex
Olliae-Fatehullah, Kabul, Afghanistar 19-120 Motijheel Commercial Arez8p 574 Lalar Tutong BF1320
Tel: 93-700 228 832/ Dhaka 1000 Bangladesh P.O. 80x 423, Seri Complex
93-700 979 511 Tel: 880-2-16-2742-46 / 225
Fax: 93-202 201 259 Fax: 880-2-955-0030 Brunei Darussalam Email: info@megaplus.com.af www.floralimited.com

INDONESIA PT Samafitro Jalan Ir. H Juanda No. 8 Jakarta 10120, Indonesia Tel: 62-21-345 8989 Fax: 62-21-345 6699 www.samafitro.co.id

PAKISTAN
Shirazi Trading Company (Pvt.) Ltd
Shirazi Fadon Pakistan
Tel :92-21-3241 (7659), (7737)
Fax: 94-11-470 0200
Fax: 94-11-470 0267 Karachi 74000 Pakistan Tel : 94-11-47U U.2.u Tel : 92-21-321 (7559), (7737) Fax : 94-11-470 0267 or (7746) Fax : 92-21-(3241 7747), (3242 0417) or (3242 0418) www.shirazitrading.com.pk

MALDIVES Simdi Company Pvt Ltd. G.Manaam Building, 2/1 Neeloafaru Magu, Male' 20-129, Maldives Tel : 960-333 4421 Fax : 960-333 4424

Tel :673-2-653-001 Fax :673-2-653-003

CAMBODIA Royal Cambodia Co., Ltd #437 Preah Monivong Blvd Phnom Penh Kingdom of Cambodia Tel : 855-23-428955 Fax : 855-23-722961

MYANMAR MYANMAR
Myanmar Golden Rock International International Electronics Concern
(P) Ltd
(P) Ltd
(P) Ltd
(P) Ltd
(F) Ltd
(F

DEALER'S STAMP

This brochure and the specifications of the product have been developed prior to the date of product launch. These specifications are subject to change without notice Therefore no representations or warranties, either express or implied, are made of the fitness of this product for a particular purpose. In no circumstances shall the information in this brochure be considered part of our terms and conditions of sale. You are advised to check the prevailing specification immediately prior to purchase. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries.

MALDIVES