



After 25 years of CONTINUOUS INNOVATION and reliable, professional-quality printing, businesses count on the HP LaserJet brand.

Get advanced security features and flexible expandability options to meet changing business needs with the high-performance, networked HP LaserJet Enterprise P3010 Printer series.¹ Ideal for shared workteams and document-intensive environments, businesses can depend on HP for a trouble-free, high-quality printing experience every time.

# Performance, durability and savings delivered through one device

- Start fast and finish sooner. Instant-on Technology provides up to 50% faster warm-up time from low-power mode<sup>4</sup>, and up to 50% energy savings compared to competitive models.<sup>3</sup>
- Enjoy quick print speeds up to 42 ppm, letter (40 ppm, A4) with fast first page out.
- Reduce paper usage by up to 50% and save using automatic two-sided printing.<sup>1</sup>
- Affordably get reliable printing and sharing across your business with enhanced Gigabit networking and security.
- Proven all-in-one Original HP print cartridge design with built-in intelligence delivers reliable, consistently outstanding results.
- Get more printed pages and fewer cartridge replacements with high-capacity cartridges.<sup>2</sup>

### Advanced security features for maximum protection

- Easily connect and house your HP and partner security card swipe and authentication devices with built-in hardware integration pocket (HIP).<sup>1</sup>
- Securely print and retrieve confidential print jobs by keying a PIN number at the printer's control panel.<sup>1</sup>

- Securely store and protect sensitive data on the device with the HP High-Performance Secure EIO Hard Disk.<sup>2</sup>
- Effectively manage network accessibility with 802.1X networking which requires authentication prior to network admission.<sup>1</sup>
- Secure data using IPsec with encryption accelerator assist, along with support for IPv4 and IPv6 protocols.<sup>1</sup>

# **ecohighlights**

**HP LaserJet Enterprise P3010 Printer Series** 

#### CO INFORMATION

- Reduce energy use up to 50% with Instant-on Technology<sup>3</sup>
   Reduce paper by up to 50% using automatic two-sided printing (P3015d, P3015dn, and P3015x)
- Free, convenient cartridge recycling in over 47 countries



ENERGY STAR  $^{\circledR}$  Qualified Product (P3015d, P3015dn, and P3015x models)

## www.hp.com/ecosolutions

Please recycle your computing hardware and printing supplies. HP asset management and recycling services make responsible disposal easy.



- Standard and optional features vary by model. Please see "Series at a glance" on page 3 for more information.
- Not included, please purchase separately.
- Results are based on internal HP testing using the ENERGY STAR® programme's Typical Electricity Consumption (TEC) method. Test data was extended to one year. Testing was on a single unit of each product. Individual product configuration will affect power consumption.

# Flexible expandability options to meet changing business needs

- Extend the printer's capabilities with an open EIO slot and two internal accessory ports. Add up to 512 MB memory through the printer's open memory slot.<sup>1</sup>
- Improve productivity with a maximum input capacity of up to 1,600 sheets.<sup>1</sup> Choose the 500-sheet paper tray for added flexibility.<sup>2</sup>
- Easily print on different types and sizes of paper using easy-to-load, adjustable paper trays.

### Significantly easier to install, configure and manage

- Convenient, walk-up USB printing with the printer's front-panel host USB 2.0 port which supports common PDF, PRN, and PS file extensions.
- Reduce calls to IT intuitive control panel with four-line display and "Show-Me-How" menu visually walk users through procedures, setup, and troubleshooting.

- Maximise investment by increasing the flexibility to meet changing business needs with a full portfolio of innovative HP and HP Certified Partner solutions that integrate easily into existing infrastructure.
- Easily set up and manage print fleet with the industry-leading HP Web Jetadmin and the HP Universal Print Driver. These solutions make it easy to install, configure, monitor, troubleshoot, and manage printing devices from anywhere on the network.<sup>5</sup>
- Enjoy hassle-free recycling—cartridges returned via HP Planet Partners are recycled responsibly. Available in select countries. Please visit www.hp.com/recycle for more information.

# HP LASERJET ENTERPRISE P3010 PRINTER SERIES





## HP LaserJet Enterprise P3015x Printer shown

- Intuitive control panel with four-line LCD display, 10-number key pad, and "Show-Me-How" menu
- 2 250-sheet top output bin
- 3 One-door access to the easy-to-install print cartridge
- 4 100-sheet multipurpose tray handles a variety of special papers
- Two 500-sheet input trays for a 1,100-sheet total input capacity
- Hardware integration pocket for connecting optional HP or partner solutions
- 7 Host USB 2.0 port for walk-up USB printing
- 8 HP Jetdirect 10/100/1000 Ethernet embedded print server
- 9 128 MB memory expandable to 640 MB, and a 540 MHz processor
- 10 Two internal accessory ports for connecting HP or partner solutions
- 11 One open EIO slot
- 12 Hi-Speed USB 2.0 port for direct connection to printer
- 13 100-sheet straight-through path supports special papers
- 14 Built-in automatic two-sided printing

# Series at a glance









	P3015 Printer	P3015d Printer	P3015dn Printer	P3015x Printer
Part number	CE525A	CE526A	CE528A	CE529A
Control panel	4-line LCD display	4-line LCD display, 10-key pad	4-line LCD display, 10-key pad	4-line LCD display, 10-key pad
Hardware integration pocket		$\sqrt{}$	$\sqrt{}$	V
100-sheet multipurpose tray 1, 500-sheet tray 2	$\sqrt{}$	$\sqrt{}$	$\sqrt{}$	$\sqrt{}$
500-sheet tray 3	Optional	Optional	Optional	$\sqrt{}$
500-sheet tray 4	Optional	Optional	Optional	Optional
HP Jetdirect 10/100/1000 Ethernet print server	Optional	Optional	Embedded	Embedded
Two-sided printing	Manual	Automatic	Automatic	Automatic
Memory	96 MB (expandable up to 608 MB)	128 MB (expandable up to 640 MB)	128 MB (expandable up to 640 MB)	128 MB (expandable up to 640 MB)
ENERGY STAR qualified		V	$\sqrt{}$	V

## Get the most out of your printer with HP accessories, supplies, and services.

#### 500-sheet Input Tray/Feeder

Improve productivity by increasing total input capacity up to 1,600 sheets. Print on a variety of papers ranging from 76 x 127mm (4.1  $\times$  5.8") to 216  $\times$  356mm (8.5  $\times$  14") and minimise time spent on replenishing paper.



### **Supplies**

HP LaserJet Black Print Cartridge <sup>6</sup>	CE255A
HP LaserJet Black Print Cartridge (high-capacity) <sup>6</sup>	CE255X
Accessories 500-sheet Input Tray/Feeder	CE530A

emory/storage
HP 64 MB, 144-pin x32 DDR2 DIMM
HP 128 MB, 144-pin x32 DDR2 DIMM
HP 256 MB, 144-pin x32 DDR2 DIMM
HP 512 MB, 144-pin x32 DDR2 DIMM
HP Secure High-performance EIO Hard Disk

### .....

onnectivity	
HP Jetdirect 635n IPv6/IPsec Internal Print Server	J7961G
HP Jetdirect 690n IPv6/IPsec 802.11g Wireless Print Server	J8007G
HP Jetdirect ew2400 802.11g Wireless Print Server	J7951G
HP 1284B Parallel Card	J7972G
(For more information visit value by som (so /intdirect)	

#### Service and support

ΗP	1-year Next Business Day Hardware Support	UP870E
	1-year Next Business Day Exchange Service	UP869E
	3-year Next Business Day Hardware Support	UP872E
ΗP	3-year Next Business Day Exchange Service	UP871E
ΗP	3-year Return to HP Service	UP868E
ΗP	4-year Next Business Day Hardware Support	UP874E
ΗP	4-year Next Business Day Exchange Service	UP873E
ΗP	5-year Next Business Day Hardware Support	UP876E
ΗP	5-year Next Business Day Exchange Service	UP875E
ΗP	1-year Post Warranty Next Business Day Hardware Support	UP439PE
ΗP	1-year Post Warranty Next Business Day Exchange Service	UN523PE
ΗP	1-year Post Warranty Return to HP Service	UP877PE

CC413A

CC414A

CC415A

CE483A 18019A Asia Pacific: www.hp.com/apac/printingsupplies Asia: 65-6253-8500

Australia/New Zealand: 61-2997-2299LAR

www.hp.com/go/qsc

### **HP Services**

Efficient, flexible and cost-effective—HP offers you a broad spectrum of extensive Print Services that range from vital hardware repair support and the management of print environments, to a comprehensive, scalable portfolio of customisable service components with end-to-end capabilities to meet changing business needs.

### **Support Services**

Choice of high quality support services, delivered by HP for a worry-free printing experience

#### **Features**

- Choice of same day or next day on-site services
- Expert technical phone support
- · HP original parts, materials and labour

Reduced device repair costs and maximised printing uptime across branch and remote office locations

## **Smart Print Services**

An affordable usage-based contract ensuring continuous printing and productivity

#### **Features**

- · Choices from a comprehensive fleet of single function and multifunction printers
- Hardware maintenance
- Supplies replenishment
- Device monitoring and usage visibility
- Priority phone support

Peace of mind with low total cost of ownership

Comprehensive and sustainable portfolio of services customised to meet your document capture and output strategies

**Managed Print Services** 

### **Features**

- Assessment Services
- Financial and Procurement Services
- Transition and Implementation Services
- Management and Support Services
- Document and Workflow Services

Companies can focus on core business while having control of imaging and printing network infrastructure

For more information, visit www.hp.com/apac/enterpriseprint/services

- Based on third-party testing from Quality Logic, commissioned by HP. See full reports at <a href="https://www.qualitylogic.com/Contents/Library/Test-Reports/HP-Instant-On-Performance-Reports">www.qualitylogic.com/Contents/Library/Test-Reports/HP-Instant-On-Performance-Reports</a>.
- Embedded networking available on the HP LaserJet Enterprise P3015dn and P3015x printer models only. Please see "Series at a glance" on page 3 for more information.
- Average CE255A black cartridge yields 6,000 standard pages and average CE255X black cartridge yields 12,500 standard pages. Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit www.hp.com/go/learnaboutsupplies.

# HP LASERJET ENTERPRISE P3010 PRINTER SERIES

Technical specifications	HP LaserJet P3015 Printer (CE525A)	HP LaserJet P3015d Printer (CE526A)	HP LaserJet P3015dn Printer (CE528A)	HP LaserJet P3015x Printer (CE529A)
Print speed <sup>7</sup>		Up to 42 ppm, lette	er (up to 40 ppm, A4)	
Document delivery speed		First page out: as fast as 7.5 seconds from	m Ready, as fast as 16 seconds from Sleep	
Print resolution	HP FastRes 1200, HP ProRes 1200; Up to 1200 x 1200 dpi			
Control panel	4-line LCD display, 3 LED indicator lights (Ready, Data (Ready, Data, Attention), buttons (Return, Stop/Cancel, OK, Toggle up/down)  4-line LCD display, 3 LED indicator lights (Ready, Data (Bedy, Data, Attention), buttons (Return, Stop/Cancel, OK, Toggle up/down)			
Processor		540	MHz	
Memory	96 MB, expandable to 608 MB		128 MB, expandable to 640 MB	
Durability ratings	Re	ecommended monthly volume: 1,500 to 5,0	000 pages;8 Duty cycle: up to 100,000 pag	es <sup>9</sup>
Paper				
Input	10	100-sheet multipurpose tray 1, 500-sheet tray 2 Optional 500-sheet trays 3 and 4		100-sheet multipurpose tray 1, 500-sheet tray 2, 500-sheet tray 3 Optional 500-sheet tray 4
Output		250-sheet top output bin,	, 100-sheet rear output bin	
Two-sided printing	Manual		Automatic	
Sizes			$(3 \times 5'')$ to 216 $\times$ 356mm (8.5 $\times$ 14''); Tray (8.5 $\times$ 14''); Automatic two-sided printing: left	
Weights	Tr	Tray 1 (straight through paper path for special media): 16 to 53 lb bond (60 to 199 g/m²) Trays 2 and 3, Automatic two-sided printing unit: 16 to 32 lb bond (60 to 120 g/m²)		
Types	Paper (bond, colour, letter	head, plain, preprinted, prepunched, recyc	cled, rough); envelopes; labels; cardstock; tr	ransparencies; user-defined
Connectivity				
Interfaces	1 front-panel Hi-Speed USB 2.0, 1 EIO slot, 1 Hi-Speed USB 2.0 for direct connection to printer, and 2 internal accessory ports for connecting HP or partner solutions  HP Jetdirect 10/100/1000 Ethernet embedded p USB 2.0, 1 EIO slot, 1 Hi-Speed USB 2.0 for d 2 internal accessory ports for connecting		2.0 for direct connection to printer, and	
Languages		HP PCL 5e, HP PCL 6, HP postscript lev	vel 3 emulation, direct PDF printing v1.4	
Fonts	PCL: 103 internal fo	ont set (plus Greek, Hebrew, Cyrillic, Arabic	c); PS: 93 internal font set (plus Greek, Heb	rew, Cyrillic, Arabic)
Client operating systems	Microsoft® Windows® 20	Microsoft® Windows® 2000 (SP4), XP® Home, XP Professional, Vista®, Vista x64, Server 2003, Server 2008; Mac OS X v10.4 or higher; Novell NetWare; Red Hart Linux 7.x or higher; SuSE Linux 8.x or higher		
Network operating systems			Vista, 2003 64-bit, 2008 64-bit, XP 64- Windows 2003, XP, Vista, and Server v10.2, v10.3, v10.4 or higher; Red Ho higher; HP-UX 10.20, 11.x, 11.i; Solaris 2.	, Server 2008, XP Home, XP Professional, bit, Vista 64-bit (For IPv6 compatible with 2008); Novell 5.1 or higher; Mac OS X at Linux 7.x or higher; SuSE Linux 8.x or 5 or higher (SPARC systems only); IBM AIX ame Server; Windows Terminal Services
Network protocols			IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 and higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6 IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print Other: IPX/SPX, AppleTalk, NetWare NDS, Bindery, NDPS, iPrint	
Security			SNMPv3, SSL/TLS, 802.1X authentication (EAP-PEAP, EAP-TLS), IPP over TLS, IPsec firewall with certificate, pre-shared key authentication, and Kerberos authentication Support for WJA-10 IPsec configuration using IPsec plug-in.	
Dimensions (w x d x h)		448 x 412 x 316mm (17.6 x 16.2 x 12.4")		448 x 412 x 480mm (17.6 x 16.2 x 18.9")
Weight (without print cartridge)		15.9 kg (35 lb)		21.2 kg (46.6 lb)
What's in the box	Printer; power cord; full-capacity print of	<u> </u>	CD-ROM; Getting Started Guide; support fly	0, ,
Also includes			Built-in automatic two-sided printing, HP Jetdirect 10/100/1000 Ethernet embedded print server	
Warranty	One-year, return to HP autho	orised service center warranty backed by H	P Customer Care, service and support; one-	year technical phone support
Environmental ranges Recommended temperature Storage temperature Recommended relative humidity Storage relative humidity	-20 to 40 degrees C (-4 to 104 degrees F) 30 to 70 percent 10 to 90 percent	Typical Electricity Consumption (TEC): 3.267 kWh/Week 15 to 32.5 degrees C (59 to 89 degrees F) 20 to 40 degrees C (-4 to 104 degrees F) 30 to 70 percent 10 to 90 percent 10 to 90 percent 20 to 40 degrees C (-4 to 104 degrees F) 30 to 70 percent 30 to 70 percent 40 to 90 percent 41 Listed (US/Canada); GS License (Europe); EN 60825-1+A1+A2 (Class 1 Laser/		
Altitude Acoustics <sup>10</sup> Sound power Bystander sound pressure Power specifications Required input voltage	Up to 3,100 m (10,000 ft)  Active: 6.8 B(A); Ready: inaudible Active: 54 dB(A); Ready: inaudible  100 to 127 V (±10 percent), 50/60 Hz (±	emc .2 Hz)	LED Device) GB4943-2001; Low Voltage D (Europe); other safety approvals as require CISPR 22: 2005/EN 55022: 2006 Class I 1995+A1+A2, EN 55024: 1998+A1+A2, ICES-003, Issue 4, (Canada), GB9254-195 Marking (Europe), other EMC approvals as	d by individual countries B, EN 61000-3-2: 2006, EN 61000-3-3: FCC Title 47 CFR, Part 15 Class B (USA), P8, EMC Directive 2004/108/EC with CE
Power consumption <sup>11</sup>	220 to 240 V (± 10 percent), 50/60 Hz (±2 Hz) Active: 780 watts; Standby: 14.5 watts; Powersave: 8.5 watts; Off: 0.6 watts  Works with HP SureSupply. To learn more, visit www.hp.com/			. ,

- Exact speed varies depending on the system configuration, software application, and document complexity.
- HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

- Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- Measured according to ISO 7779 and declared in accordance with ISO 9296; values are subject to change. For current information, see www.hp.com/support. Configuration tested: HP LaserJet P3015dn printing simplex on A4 paper.
- Values subject to change. Power numbers are the highest values measured using all standard voltages. See <a href="https://www.hp.com/support">www.hp.com/support</a> for current information.
- 12 HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies; Internet access required.









 $ENERGY\ STAR\ and\ the\ ENERGY\ STAR\ logo\ are\ registered\ U.S.\ marks.\ Linux\ is\ a\ U.S.\ registered\ trademark\ of\ Linus\ Torvalds.\ Microsoft,\ Windows,\ and\ Windows\ XP\ are\ registered\ trademark\ of\ Linus\ Torvalds.$ trademarks of Microsoft Corporation. Windows Vista is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries. © Copyright 2009 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.





