### WATERPROOF

A revolutionary system of waterproof seals and gaskets keeps water out so you can take pictures as deep as 10 feet underwater

### SHOCKPROOF

Durable body with an innovative shock-absorbing technology protects it from drops of up to 5 feet.

#### FREEZEPROOF

It's Freezeproof down to 14°F/-10°C. Perfect for skiing, snowboarding, sledding and other winter fun, this camera is winterized to perform at below-freezing temperatures!

#### 14 MEGAPIXEL .

An amazing 14 million pixels in the high-resolution CCD create superior image guality. Create poster-sized prints without losing a single detail.

### 3.6X WIDE-ANGLE OPTICAL ZOOM

You'll never leave anyone out. With its 3.6x wide-angle optical zoom (28mm) you can get dramatically close to the action, and capture everyone and everything in sight.

#### 2.7-INCH LCD .

.

This large 2.7" LCD features an extra-wide viewing angle for easier composing and shooting.

#### **ONE-TOUCH HD MOVIE** .

With One-Touch HD Movie you can record widescreen, crystal clear HD movies (720p) right from your camera. •

### DUAL IMAGE STABILIZATION

Dual Image Stabilization combines Sensor-Shift Image Stabilization with high ISO sensitivity and fast shutter speeds so you can capture crisp, clear images even if the subject is moving.

#### **3D PHOTOS (EVEN UNDERWATER)** •

Discover the depth of 3D stills. From macro shots to landscapes, Olympus' 3D technology shoots two pictures and combines them into one image for a dramatic effect when viewed on a 3D device. Perfect for bringing your memories to life.

#### WI-FI COMPATIBILITY (WITH EYE-FI™ CARD) .

No need for cables or even a computer. Upload or email images directly from your camera with an optional Eye-Fi™ card. **TAP CONTROL** 

Operate picture playback, shadow adjustment, flash mode and more just by tapping the top, back and sides of the camera. Tap Control is ideal for underwater use or when wearing gloves.

#### MAGIC FILTER STILL & MOVIE

Add style and artistic flair to stills and movies with Olympus' Magic Art Filters. Joining, Pop Art, Pin Hole, Drawing, Fish Eye, and Soft Focus are the new Punk, which creates a two-tone image with a classic punk rock feel, Watercolor, which transforms images into frame-worthy paintings, and Sparkle, which adds a twinkle to your photos. (Effects vary by model.)

### TRUFPIC III +

A TruPic III+ Image Processor, first developed for professional digital SLRs, knows precisely how to deliver true-to-life color, the sharpest details, and less noise.

## TG-310 Specifications

| Shockproof                      | Shockproof to 1.5m  |
|---------------------------------|---|
| Waterproof                      | Waterproof to 3m  |
| Freezeproof                     | Freezeproof to -10°C  |
| Image Sensor                    | 14 Megapixels (effective), 1/2.3"   |
| Focal Length/Lens Configuration | 5.0 – 18.2mm (28 – 102mm equivalent in 35mm photography)  |
| Zoom                            | 3.6x Optical Zoom + 4x Digital Zoom   |
| Aperture Range                  | f3.5 (W) / f5.1 (T)   |
| Display                         | 2.7" LCD 230K dots  |
| Focus System                    | CCD Contrast Detection  |
| Focus Range (from lens surface) | Normal mode: W/T: 19.7" – infinity (0.5m – infinity)<br>Macro mode: Wide: 3.9" – infinity (0.1m – infinity); Tele: 11.8" – infinity (0.3m – infinity) |

|   | Super Macro mode: 0.8" – 19.7" (0.02m – 0.5m) (no flash)   |
|---|--|
| Focus Mode  | iESP Auto, Spot AF, Face Detection AF, AF Tracking   |
| Shutter Speed   | 1/2000 sec. $-1/4$ sec. (up to 4 sec. in Night Scene mode)   |
| ISO Sensitivity (SOS: Standard<br>Output Sensitivity) | Auto, High Auto, 80, 100, 200, 400, 800, 1600  |
| Exposure Metering                                     | Digital ESP Metering, Spot Metering  |
| White Balance Control                                 | Auto, Presets (Daylight, Overcast, Tungsten, Fluorescent1, and Underwater)   |
| Exposure Compensation                                 | ±2 EV steps in 1/3 EV steps  |
| Image File Format                                     | Still Image: JPEG<br>Movie: MP4  |
| Number of Recorded Pixels                             | 14MP (4,288 x 3216)<br>8MP (3,264 x 2,448)<br>5MP (2,560 x 1,920)<br>3MP (2,048 x 1,536)<br>2MP (1,600 x 1,200)<br>VGA (640 x 480)<br>16:9 (4,288 x 2,416)   |
| Motion Blur Suppression                               | Dual Image Stabilization   |
| Shooting Modes  | 31 Shooting Modes;<br>Intelligent Auto, Program Auto, Sensor-Shift Image Stabilization, Panorama, Beauty Mode, Magic Filter, 3D<br>Mode, Scene Modes (1. PORTRAIT, 2. BEAUTY, 3. LANDSCAPE, 4. NIGHT SCENE. 5.<br>NIGHT+PORTRAIT, 6. SPORT, 7. INDOOR, 8. CANDLE, 9. SELF PORTRAIT, 10. SUNSET, 11.<br>FIREWORKS, 12. CUISINE, 13. DOCUMENTS, 14. BEACH & SNOW, 15. UNDERWATER<br>SNAPSHOT, 16. PET(CAT), 17. PET (DOG)), HD Movie |
|   | Magic Filter (Pop Art, Pinhole, Fisheye, Drawing, Soft Focus, Punk, Watercolor)  |
| Panorama  | In-Camera Panorama, PC Panorama (Up to 10 frames automatically stitchable with ib software)  |
| Continuous Shooting                                   | High speed: 5.9 frames per second/ 17 images (3MP)<br>Normal speed: 0.7 frames per second/ 2 images (14MP)   |
| Shooting Assist Functions                             | Histogram, Frame Assist, Voice Recording   |
| Movie Mode  | HDMI<br>720p<br>VGA, QVGA  |
| Image Processing                                      | TruePic <sup>TM</sup> III+   |
| Noise Reduction                                       | Set automatically at shutter speeds of 0.5 second or longer in specific scene modes  |
| Image Playback  | Still Image: Single, Index Display (4x3, 6x5), Event, Up to 10x Enlargement, Slideshow, Rotation, Protection, Histogram, Voice Playback, Photo Surfing   |
|   | Movie: Normal, Fast-Forward, Reverse, Frame-by-Frame, Voice Playback   |
| Playback Edit Effects                                 | Still Image: Beauty Fix, Resize, Cropping, Saturation  |
| Flash   | Built-in   |
| Flash Modes   | Auto (for low light and backlit conditions)<br>Red-Eye Reduction<br>Fill-in<br>Off   |
| Flash Working Range                                   | Wide: 0.33ft (0.1m) – 13.1ft (4.0m) at ISO 800<br>Tele: 0.98 ft (0.3m) – 8.9ft (2.7m) at ISO 800   |

| Self-Timer                 | 12/2 Seconds/ Pet auto-shutter   |
|----------------------------|--|
| Removable Media Card       | SD/SDHC/SDXC Card  |
| Outer Connectors           | Multi-Terminal (USB Connector, Audio/Video Output) HDMI Type D   |
| Auto-Connect USB           | USB 2.0 High-Speed (USB Mass Storage)  |
| System Requirements        | Auto-Connect USB: Windows® 2000/XP/VISTA/7 with USB port, Mac OS X 10.3 or later with USB port Software: Windows® 2000PRO/XP/VISTA/7, Mac OS X 10.3 - 10.5 |
| Power Source               | Li-ion Rechargeable Battery (LI-42B)<br>F-2AC Adapter  |
| Battery Life (CIPA DC-002) | 190 Shots  |
| Dimension                  | 3.8"W x 2.5"H x 0.9"D<br>(96.3mm x 63.4mm x 22.7mm)  |
| Weight                     | 5.5 oz (155 g) including batteries and memory card   |

Specifications and design are subject to change without notice.

# **TG-310 Package Contents**

- TG-310 Digital Camera
- USB Cable & Charger (F-2AC)
- Instruction Manual
- IB Software CD
- Audio/Video Cable
- Wrist Strap
- Lithium-Ion Battery (LI-42B)
- Warranty Card