

www.velbon.biz

Velbon[®]

Velbon Corporation

6 - 1 - 5 Nogata, Nakano-ku, Tokyo 165 - 0027 JAPAN



Specifications are subject to change without notice.

150408

Velbon[®]
THE TRIPOD INNOVATOR

For over 55 years Velbon has the distinction of being a leader in the design, development and manufacture of tripods and tripod accessories.

Velbon offers a quality range of products to help meet the needs of beginners as well as experienced professional photographers.

2012-13 PRODUCT CATALOG



Velbon tripods radiate innovation, quality and commitment to photographers in every detail.

Fine precision fused with superior rigidity. Ample variety and advanced features extend the choices available to users. For smart tripods and accessories, turn to Velbon. Born in Japan and bred around the world, Velbon means innovation in tripods.

The thing about tripods, of course, is that they have just three legs. Why three? Why not four? Four legs would mean that the points on which the weight is concentrated are distributed. With three legs, the weight is concentrated on one point – the apex. Stability is infinitely greater when the weight is concentrated on one point rather than being distributed. And it's all about stability.

The technologies that make a tripod balanced and level are advanced design, precision engineering and meticulous processing. Like a fine musical instrument, a Velbon tripod's exquisite details come together in a harmony of technologies. The essence of these technologies is the 57 years Velbon has devoted to research – contributing to the culture of photography ever since its founding.

In the past, tripods were made from aluminum alloys. Velbon's approach throughout has been to make tripods lighter, stronger, more foldable and more extensible by improving the materials from which they are made.

The results of Velbon's development to make tripods more easy to use and carry are arrayed in numerous shapes throughout this catalog. We hope that you will discover here the attraction and pleasure of tripods. Velbon's solid lineup of tripods, monopods and accessories.

Velbon voyage!

Velbon® Established in 1955, JAPAN.

Waiting for 'the moment' once you've composed the shot perfectly.

A tripod fixes the camera. It's essential when the photographer wants to use the self-timer to get in the picture. Beyond this, a tripod is crucial when the mission is meeting critical demands such as smoothly recording moving images, capturing a distant subject with certainty in a photograph, as when bird watching, taking a night scene without any blurring, shooting with a long exposure, or taking mountain scenery with a wide angle that ensures every detail is in perfect focus. Or when shooting a bee alighted on the petals of a flower and it is necessary to move in close to show the bee in comparison to the size of the petals. Or to shoot a cascading waterfall with a slow shutter speed so that it seems to be flowing. These shots become possible with a tripod.

The fundamental Velbon design philosophy: A better tripod means better shots.

Often just a small portion of the photograph is wanted for the assignment. Only shooting with a tripod offers the stability needed to ensure that the image withstands enlargement – with every detail utterly sharp. Even though the tripod does not appear in the picture, the discerning eye will know that a tripod was used. Velbon never forgets this.

Users can feel Velbon's passion and commitment to excellence in every tripod, monopod and accessory. The design, the fit of the parts, the surface finish, the steadiness and the strength reflect a resolve to exceed the requirements of the most critical specifications.


A tripod makes possible a photograph that cannot be taken with the camera's ordinary settings. It is often felt that a tripod is unnecessary in daylight, when shooting conditions ordinarily present no problem. But lovers of photography know well that out-of-this-world opportunities for a fantastic shot are often hidden when the sun is obscured. Or bright and early in the morning or in the gray of daybreak. 'If only I'd had a tripod' you may have thought at times like these.

A scene worth shooting must truly be treasured, for it will never recur. If you don't take the shot, you will never encounter the scene again. A tripod belongs in your camera bag so that you will never regret opportunities lost. Listen to Velbon's advice.

DIN : Size of the standard base of quick release plates – 42mm x 42mm. Since the base is square, the user can choose the direction of the plate according to the camera and lens. As long as the base is the standard DIN size, quick release plates are interchangeable.

Maximum Loading Weight and Recommended Loading Weight

Velbon tripods are made to be strong enough to support heavy loads. However, even if a tripod can support a 10kg load, this is not the optimum load for actual working applications. For this reason, Velbon specifications indicate both the maximum loading weight and the recommended loading weight, which is the optimum practical load for comfortably mastering most shooting situations. For security and safety, Velbon suggests using your tripod with the recommended loading weight.



QRA-667L Black
 L: 112(4.41) x W: 67(2.63) x H: 18(0.71)mm(inch)
 Weight: 135g/0.3lbs
 1/4 inch tripod socket
 JAN/EAN 4907990 274427
 UPC 017915 888050

QB-667L (B)
 Spare Quick release plate (QHD-71Q/72Q, QRA-667L)
 L: 85(3.35) x W: 64(2.52) x H: 10(0.39)mm(inch) Weight: 60g/0.13lbs
 1/4 inch tripod socket
 JAN/EAN 4907990 274465
 UPC 017915 888074

QRA-635L II
 Retractable lugs prevent camera body rotating when turning to vertical position.
 L: 112(4.41) x W: 64(2.52) x H: 18(0.71)mm(inch) Weight: 125g/0.28lbs
 1/4 inch tripod socket
 JAN/EAN 4907990 474322
 UPC 017915 888104

QB-635L (B)
 Spare Quick release plate(QHD-61Q, 62Q, PHD-51Q, 54Q, 61Q, 64Q, Sherpa 803R, QRA-635L)
 L: 82(3.23) x W: 50(1.97) x H: 10(0.39)mm(inch) Weight: 50g/0.11lbs
 1/4 inch tripod socket
 JAN/EAN 4907990 274441
 UPC 017915 888067

QRA-6L Black
 Spare Quick release plate(QHD-61Q, 62Q, PHD-51Q, 54Q, 61Q, 64Q, Sherpa 803R, QRA-635L)
 L: 112(4.41) x W: 64(2.52) x H: 16(0.63)mm(inch) Weight: 75g/0.17lbs
 1/4 inch tripod socket
 JAN/EAN 4907990 274380
 UPC 017915 888081

QRA-5
 L: 62(2.44) x W: 38(1.5) x H: 15(0.59)mm(inch)
 Weight: 54g/0.12lbs
 1/4 inch tripod socket
 JAN/EAN 4907990 408501
 UPC 017915 883000

QB-62
 Spare Quick release plate(QHD-61Q, 62Q, PHD-51Q, 54Q, 61Q, 64Q, Sherpa 803R, QRA-635L)
 L: 82(3.22) x W: 50(1.97) x H: 10(0.39)mm(inch)
 Weight: 50g/0.11lbs
 1/4 inch tripod socket
 JAN/EAN 4907990 379801
 UPC 017915 886629

QUICK RELEASE ADAPTER (QRA)

QRA-3 Black
 L: 62(2.44) x W: 38(1.5) x H: 15(0.59)mm(inch)
 Weight: 54g/0.12lbs
 1/4 inch tripod socket
 JAN/EAN 4907990 474162
 UPC 017915 883314

QB-3 Black
 Spare Quick release plate (ULTRA MAXI L/M, MAXI-347GB, QRA-3B)
 L: 44(1.73) x W: 31(1.22) x H: 7(0.28)mm(inch)
 Weight: 14g/0.03lbs
 1/4 inch tripod socket
 JAN/EAN 4907990 209399
 UPC 017915 910102

QB-157
 L: 62(2.44) x W: 38(1.5) x H: 15(0.59)mm(inch)
 Weight: 54g/0.12lbs
 1/4 inch tripod socket
 JAN/EAN 4907990 208989
 UPC 017915 881570

QB-145K
 L: 62(2.44) x W: 38(1.5) x H: 15(0.59)mm(inch)
 Weight: 54g/0.12lbs
 1/4 inch tripod socket
 JAN/EAN 4907990 215000
 UPC 017915 881464

QB-4LC
 L: 62(2.44) x W: 38(1.5) x H: 15(0.59)mm(inch)
 Weight: 54g/0.12lbs
 1/4 inch tripod socket
 JAN/EAN 4907990 209009
 UPC 017915 881204

QB-5LC
 L: 62(2.44) x W: 38(1.5) x H: 15(0.59)mm(inch)
 Weight: 54g/0.12lbs
 1/4 inch tripod socket
 JAN/EAN 4907990 209023
 UPC 017915 881754

QB-5W
 L: 62(2.44) x W: 38(1.5) x H: 15(0.59)mm(inch)
 Weight: 54g/0.12lbs
 1/4 inch tripod socket
 JAN/EAN 4907990 209047
 UPC 017915 881907

QB-4W
 L: 62(2.44) x W: 38(1.5) x H: 15(0.59)mm(inch)
 Weight: 54g/0.12lbs
 1/4 inch tripod socket
 JAN/EAN 4907990 209062
 UPC 017915 881303

QB-46
 L: 62(2.44) x W: 38(1.5) x H: 15(0.59)mm(inch)
 Weight: 54g/0.12lbs
 1/4 inch tripod socket
 JAN/EAN 4907990 373908
 UPC 017915 881471

QB-6RL
 L: 62(2.44) x W: 38(1.5) x H: 15(0.59)mm(inch)
 Weight: 54g/0.12lbs
 1/4 inch tripod socket
 JAN/EAN 4907990 476180
 UPC 017915 882805

QB-5RL
 L: 62(2.44) x W: 38(1.5) x H: 15(0.59)mm(inch)
 Weight: 54g/0.12lbs
 1/4 inch tripod socket
 JAN/EAN 4907990 476227
 UPC 017915 881808

QB-4L
 L: 62(2.44) x W: 38(1.5) x H: 15(0.59)mm(inch)
 Weight: 54g/0.12lbs
 1/4 inch tripod socket
 JAN/EAN 4907990 476203
 UPC 017915 881105

QB-4X
 L: 62(2.44) x W: 38(1.5) x H: 15(0.59)mm(inch)
 Weight: 54g/0.12lbs
 1/4 inch tripod socket
 JAN/EAN 4907990 409119
 UPC 017915 881402

QB-337
 L: 62(2.44) x W: 38(1.5) x H: 15(0.59)mm(inch)
 Weight: 54g/0.12lbs
 1/4 inch tripod socket
 JAN/EAN 4907990 409805
 UPC 017915 881594

QB-F51
 Optional Quick release plate (Long type) for FHD-71Q/61Q/51Q/41Q
 L: 165(6.5) x W: 50(1.97) x H: 10(0.39)mm(inch)
 JAN/EAN 4907990 475671
 UPC 017915 882904

QB-F51L
 Optional Quick release plate (Long type) for FHD-71Q/61Q/51Q/41Q
 L: 165(6.5) x W: 50(1.97) x H: 10(0.39)mm(inch)
 JAN/EAN 4907990 475701
 UPC 017915 882911

SPT-1 (PAT.) (Lens supporter)
 L: 245(9.65) x W: 70(2.76) x H: 15(0.59)mm(inch)
 Weight: 340g/0.75lbs
 UNC 1/4 & 3/8 tripod socket
 JAN/EAN 4907990 389800
 UPC 017915 884809



TABLE POD

MINI-II
 2-section table tripod for compact digital cameras. Includes tripod pouch with belt loop. Metallic black color.



	cm / inch	cm / inch	cm / inch	kg / lbs	kg / lbs	kg / lbs	mm / inch
01 MINI-II	21.5 / 8.46	14.9 / 5.86	15 / 5.9	0.105 / 0.23	0.8 / 1.76	0.4 / 0.88	10 / 0.39 ②
02 V-Pod	101 / 39.8	28.5 / 11.2	29 / 11.4	0.275 / 0.61	0.6 / 1.32	0.4 / 0.88	15 / 0.59 ④
03 Teeny Pod II	12.9 / 5.07			0.05 / 0.11	0.5 / 1.1	0.3 / 0.66	

V-Pod
 Clip (mobile phone holder) size
 Height: 80mm/3.15inch
 Weight: 25g/0.06lbs



Teeny Pod II
 Tiny and bendy table tripod for compact digital cameras. Slips into your pocket. Black only.



ACCESSORIES

Super Mag Slider
 For macro photography, for finely adjusting the frame forward and back, left and right. Upper unit for forward and back can be detached to use separately.
 L: 210(8.27) x W: 120(4.72) x H: 70(2.76)mm(inch)
 Maximum adjustment: Forward/back: 60mm/2.36inch
 Left/right: 30mm/1.18inch Weight: 470g/1.04lbs
 UNC 1/4 & 3/8 tripod socket
 JAN/EAN 4907990 272253 UPC 017915 884052

Clamp HC-25/28
 Hide Clamp for bird watching. 2 sizes of the sleeve are included. Head & Center Pole are not included.

Clamp Kit / Center Pole is included with the Clamp as set unit
 White sleeve is attached. Head is not included.
 JAN/EAN 4907990 273248 UPC 017915 884823

Super Mag Plate
 Twin camera plate for stereo photography. Screw positions are adjustable for camera location.
 L: 360(14.2) x W: 63(2.5) x H: 25(0.98)mm(inch)
 Weight: 440g/0.97lbs
 UNC 1/4 & 3/8 tripod socket
 JAN/EAN 4907990 273406
 UPC 017915 884779

Stepladder 60
 Height: 615(24.21)
 Folded length: 650(25.59)
 Width: 350(13.78)mm(inch)
 Weight: 2026g/4.47lbs
 Maximum load: 100kg/220.46lbs
 Includes Carrying Case


UC-6 (umbrella & clamp)
 •Clamp size
 L: 230(9.05) x W: 100(3.93) x H: 98(3.86)mm (inch) Weight: 200g/0.44lbs
 •Umbrella size
 Diameter: 900mm/35.4inch
 Depth: 200mm/7.87inch
 Shaft diameter: 10mm/0.39inch
 Length of the Shaft: 530mm/20.9inch
 Weight: 190g/0.42lbs
 JAN/EAN 4907990 408570
 UPC 017915 910126

ACCESSORIES

Precision Leveler
 More precise level is necessary for movie and panorama shots. Use between head and tripod to adjust on uneven terrain precisely.
 H: 41.6(1.63)mm(inch) Weight: 270g/0.6lbs
 PEDESTAL DIAMETER: 51.6(2.03)mm(inch)
 UNC 1/4 inch screw
 JAN/EAN 4907990 408464 UPC 017915 811003



PANAMATIC
 Use software for stitching panorama shots. Rotates 30 degrees with each click for taking panoramic photos.
 L: 100(3.94) x W: 45(1.77) x H: 10(0.39)mm(inch)
 Weight: 50g/0.11lbs
 UNC 1/4 & 3/8 tripod socket
 JAN/EAN 4907990 410788
 UPC 017915 950009



01 CASE DX#600B
 L: 700(27.6) x W: 150(5.91) x D: 145(5.71)mm(inch)
 JAN/EAN 4907990 407450 UPC 017915 866003

02 CASE DX#500B
 L: 650(25.6) x W: 150(5.91) x D: 145(5.71)mm(inch)
 JAN/EAN 4907990 407436 UPC 017915 865006

03 CASE 4W#830L
 L: 995(39.2) x Max C: 800(31.5) mm(inch)
 JAN/EAN 4907990 380708

CASE 4W#840L
 L: 855(33.66) x Max C: 800(31.5) mm(inch)
 JAN/EAN 4907990 380685

CASE 4W#740L
 L: 740(29.1) x Max C: 720(28.3) mm(inch)
 JAN/EAN 4907990 380722

04 CASE #400
 L: 360(14.2) x W: 105(4.13) x D: 70(2.75)mm(inch)
 JAN/EAN 4907990 207401

05 CASE #500
 L: 590(23.2) x W: 110(4.33) x D: 75(2.95)mm(inch)
 JAN/EAN 4907990 207425

06 CASE #600
 L: 600(23.6) x W: 120(4.72) x D: 80(3.15)mm(inch)
 JAN/EAN 4907990 207449

07 CASE #700
 L: 680(26.77) x W: 125(4.92) x D: 90(3.54)mm
 JAN/EAN 4907990 207463

